

# Non-potable water system blow out schedule.



Your home irrigation is privately owned by you.  
 Homeowner is responsible for the maintenance.  
 Homeowner is responsible for your winterization.

**Clean in-line filter before blow out starts.**

Set your irrigation clock for your schedule time of the blow out.

Set each zone for 3 to 4 minutes, to blow out each zone.

Or do manually looking for all water to be blown out.

Close your main value (Ball Valve) after your blow out.

**BLOW OUT DURING YOUR SCHEDULE TIME!**

ZONE COLOR	WINTERIZATION TIME
Pink	8:00 a.m. - 8:40 a.m.
Orange	8:45 a.m. - 9:25 a.m.
Yellow	9:30 a.m. - 10:10 a.m.
Blue	10:15 a.m. - 10:55 a.m.
Green	11:00 a.m. - 11:40 a.m.
Purple	11:45 a.m. - 12:25 p.m.
12:30 p.m. to 2:30 p.m.	entire system will be blown out.

In case you missed your scheduled time.



ZONE COLOR	WINTERIZATION TIME
Pink	8:00 a.m. - 8:40 a.m.
Orange	8:45 a.m. - 9:25 a.m.
Yellow	9:30 a.m. - 10:10 a.m.
Blue	10:15 a.m. - 10:55 a.m.
Green	11:00 a.m. - 11:40 a.m.
Purple	11:45 a.m. - 12:25 p.m.
12:30 p.m. to 2:30 p.m.	entire system will be blown out.

In case you missed your scheduled time.

ZONE COLOR	WINTERIZATION TIME
Pink	8:00 a.m. - 8:40 a.m.
Orange	8:45 a.m. - 9:25 a.m.
Yellow	9:30 a.m. - 10:10 a.m.
Blue	10:15 a.m. - 10:55 a.m.
Green	11:00 a.m. - 11:40 a.m.
Purple	11:45 a.m. - 12:25 p.m.
12:30 p.m. to 2:30 p.m.	entire system will be blown out.

In case you missed your scheduled time.